




HP Universal Bond Paper



The HP Designjet printing system—the complete solution

HP Designjet printers, Original HP inks and printheads, Original HP printing materials and HP Scitex printers, are designed to work together as a system to provide reliable, consistent results with every print.



Get the ColorPRO difference with this economical, FSC®-certified paper

ColorPRO Technology produces more striking colors, crisper text and graphics, and higher-contrast blacks for professional quality and striking results at production speed.

See the ColorPRO Technology difference

See the difference. See precise lines with sharp, fine detail. See high-impact graphics with an extended range of colors. HP Universal Bond Paper with ColorPRO Technology delivers professional quality, striking results.

Print with ease—with the environment in mind

Keep a brisk pace. HP printing materials are designed together with HP inks and the printer to provide consistent, quality performance. Meet the environmental objectives of your company—and your clients—with this recyclable, FSC®-certified paper.

Increase productivity and lower printing costs

Optimize your everyday printing with the reliable, trouble-free performance of economical HP Universal Bond Paper. Many choices, including metric and jumbo sizes, cut steps from the workflow for higher productivity and lower costs of printing.

Target customers	Applications	Benefits
High/production professionals working with Geographic Information Systems (GIS)	Posters and presentations	More striking colors
Architecture (AEC)	POP and retail displays	Crisper text and graphics
Engineering (CAD)	CAD, AEC, GIS applications	Higher contrast blacks
		Visibly enhanced print quality at production speed
		FSC®-certified paper
		Recyclable through commonly available programs

Technical specifications



HP Universal Bond Paper

For the latest ICC/media profiles and a variety of resources to help you get the most out of your printer and HP large format printing materials, please visit globalBMG.com/hp/.

Weight	80 g/m ² per ISO 536 Test Method, (21 lbs)
Thickness	106 microns/4.2 mil per ISO 534 Test Method
Opacity	91% per ISO 2471 Test Method
Brightness	110% per ISO 2470-2 Test Method
Whiteness	160 per ISO 11475 Test Method
Finish	Matte
Operating temperature	15 to 30° C / 59 to 86° F
Operating humidity	20 to 70% RH
Dry time	Instant (at 23° C, 50% RH)
Shelf life	2 years, unopened in original packaging
Storage temperature	5 to 40° C / 41 to 104° F
Storage humidity	10 to 80% RH
Recyclability	Recyclable through commonly available recycling programs
Country of origin	In Europe and Asia (including Japan): Product of Poland In the Americas: Product of United States

Ordering information	Product numbers	Roll sizes	UPC Codes	Region
	Q1396A ¹	610 mm x 45,7 m (24 in x 150 ft)	848412013641	Worldwide
	Q1397A ¹	914 mm x 45,7 m (36 in x 150 ft)	848412013658	Worldwide
	Q1398A ¹	1067 mm x 45,7 m (42 in x 150 ft)	848412013672	Worldwide
	Q8751A ¹	914 mm x 175 m (36 in x 574 ft)	848412013665	Americas, Europe
	Q8003A	A1/594 mm x 45,7 m	848412014235	Asia
	Q8004A	A1/594 mm x 91,4 m	848412014259	Asia, Europe
	Q8005A	A0/841 mm x 91,4 m	848412014266	Asia, Europe
	SA025A	610 mm x 45,7 m (24 in x 150 ft)	848412014334	Japan
	SA089A	594 mm x 45,7 m (23.4 in x 150 ft)	848412014242	Japan

Warranty

HP large format printing materials are free from defects in materials and workmanship. For warranty statement please see globalBMG.com/hp/MediaWarranties.



Note: Not all FSC®-certified products are available in all regions.



For detailed information on the HP large format print media portfolio and to order, visit globalBMG.com/hp

© 2014 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

