

1.PRODUCT AND COMPANY IDENTIFICATION

1.1Substance / Preparation Nomenclature

Product Name: ELINA MEN BODY SPRAY 150 ML Cool Power/ Active Fresh/ Sensual/ Vitality

1.2 Product Use: It used as a body spray.

1.3 Company Definition

Company Name: Jean Products- Werm GmbH

Adress : Steinmühlweg 4, 97783 Karsbach / Germany

Phone : +49 9358 90990 0

Fax : +49 9358 90990 66

1.4 Emergency telephone number:

The National Poison Control Center (UZEM) 114

2. HAZARD IDENTIFICATION

2.1. Classification Of Mixture

Flamm. Aerosol 1 :H222: Extremely flammable aerosol.
Flammable liquid 2 :H225: Highly flammable liquid and vapour
Eye Irr 2 :H319: Causes serious eye irritation.
Skin Sens.1,1A,1B :H317: May cause an allergic skin reaction.

2.2. Label Ingredients

H222: Extremely flammable aerosol.
H225: Highly flammable liquid and vapour
H229: Pressurized container: may burst if heated.
H319: Causes serious eye irritation.
H317: May cause an allergic skin reaction.

Hazard pictograms



SIGNAL WORD: Hazard

P102 : Keep out of reach of children.
P210 : Keep away from heat/sparks/open flames/hot surfaces. — No smoking.
P233 : Keep container tightly closed.
P251 : Pressurized container: Do not pierce or burn, even after use.
P261 : Avoid breathing dust/fume/gas/mist/vapours/spray.
P305 + P351 + P338 : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P410+P412 : Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
P501 : Content / container; Dispose of at hazardous or special waste collection point in accordance with national waste legislation.

2.3. Other

No information available.

3.COMPOSITION/INFORMATION ON INGREDIENTS

Component	EC No	Cas No	W/W %	HARMFULNE SS CLASS	H TERMS
Butane	203-448-7	106-97-8	27 – 31	Flame Gaseous 1 Pressure Gaseous	H220
Propane	200-827-9	74-98-6	13 – 16	Flame Gaseous 1 Pressure Gaseous	H220
İsobütane	200-857-2	75-28-5	13 - 16	Flame Gaseous 1 Pressure Gaseous	H220
Ethyl Alcohol	200-578-6	64-17-5	36 – 40	Flame liquid 2 Eye Irr 2	H225 H319
Fragrance			1,8 – 1,9	Skin Sens.1,1A,1B	H317
Monopropylene Glycol	200-338-0	57-55-6	0,7 – 0,8	-	-
Isopropyl Myristate	203-751-4	110-27-0	0,7 – 0,8	-	-
Ethylhexylglycerin	408-080-2	70445-33-9	0,04 – 0,06	Akut Tok 4 Göz Hsr. 1	H302 H318

4. FIRST AID MEASURES

4.1. Emergency Precaution Identification

Inhalation: In case of excessive inhalation remove the person to fresh air and keep at rest in comfortable position. Obtain medical advice immediately.

Ingestion: Rinse mouth with water.

Eye contact: Immediately rinse the eyes with plenty of water. If any sign of tissue damage or persistent irritation is apparent, obtain medical advice immediately.

Skin contact: Remove contaminated clothing. Wash off skin immediately with plenty of water, using soap if available.

4.2. Aggravated Medical Conditions

Known symptoms and effects are indicated on the label (see section 2.2)

4.3. First Signs of medical attention and special treatment needed

No information available

5. FIRE-FIGHTING MEASURES

5.1 Fire Extinguishers

ABC class fire extinguisher, water, CO2 and fire extinguishing foam used.

5.2 Special Hazards Arising from the substance or mixture

Puncture may cause an increase in flame during fire in case of aerosol cans

5.3 Recommendations for Fire Fighting Teams

While use protective equipment firefighting. Water containers should be kept cool by spraying. Do not use water jet.

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions:

Use personal protective equipment. Steam Avoid breathing the fumes or gases. Make sure you have good ventilation. Remove all the resources that may cause ignition. Remove personnel to a safe area. Reach explosive

concentrations of vapor deposition, be careful. Steam can accumulate near the floor. Use personal protective equipment specified in Section 8

6.2. Environmental precautions

If there is no safety hazard, avoid further leakage or spillage. Keep away from sources of ignition packaged product. Pay attention to the sanitary sewer system. Do not smoke.

6.3. Clean-up methods and storage:

Absorb spills with inert material (eg dry sand or earth) and place in container for disposal of chemicals.

6.4. Other

See section 13 for waste disposal

7. HANDLING AND STORAGE

7.1. Handling

Handle in accordance with good occupational hygiene and safety practices in well ventilated areas.

7.2. Storage

The finished product is heat, keep away from sparks and flames. Store in accordance with the stacking rules. Dry, cool and store in a well-ventilated environment should be stored below 50 ° C. Keep away from places that children can reach.

7.3. Specific end use

Shelf life is 3 years

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. Control Parameters

No information available

8.2. Exposure Controls

8.2.1 Appropriate Engineering Controls

Suitable general or local exhaust ventilation should be provided. Room temperature is sufficient.

8.2.2 Personal Protective Equipment

Eye : Not necessarily

Skin : Not necessarily

Cloth : Not necessarily

Inhalation : Not necessarily

During the transport and storage of finished products should be used with appropriate protective clothing and gloves.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. About Basic Physical and Chemical Properties

Physical state, Colour : Aerosol, colorless
Odour : special fragrance odor
Melting point/freezing point : No data available
Boiling point : No data available
Flammability : No data available
Flash point : No data available
pH : No data available
Kinematic viscosity : No data available
Solubility : No data available
Partition coefficient n-octanol/water (log value) : No data available
Vapour pressure : No data available
Density : <1
Particle characteristics : No data available

9.2 Other

No information available

10. STABILITY AND REACTIVITY

10.1. Reaction

Safety

10.2. Stability

Stable under normal conditions.

10.3. Probability of hazardous reaction

Keep away from flame.

10.4. Conditions to avoid:

Keep away from flame.

10.5. Materials to avoid:

Keep away from flame.

10.6. Hazardous decomposition products:

Outer effects can decomposes product package.

11. TOXICOLOGICAL INFORMATION

11.1. About Toxicology

- Acute toxicity; No data available
- Skin corrosion/irritation; May cause an allergic skin reaction.
- Serious eye damage/irritation; Causes serious eye irritation.
- Respiratory or skin sensitisation; No data available
- Germ cell mutagenicity; No data available
- Carcinogenicity; No data available
- Reproductive toxicity; No data available
- STOT-single exposure; No data available
- STOT-repeated exposure; No data available
- Aspiration hazard; No data available

12. ECOLOGICAL INFORMATION

No information available

13. DISPOSAL CONSIDERATIONS

13.1. Waste from residues / Unused products:

Dispose of according to all federal, state and local applicable regulations

14. TRANSPORT INFORMATION

BM Number : 1950
Logistic Name : Aerosols, flammable
Class : 2
Classification Code : 5F
Packing Group / Labels : - / 2.1
Tunnel Abbreviation Code: D



IATA ; UN 1950 Aerosols, Flammable

Transport Hazard Class(es) : 2,1

IATA : Packing instruction 203

IMDG-Code / GGVSee ; UN 1950 Aerosols, Flammable

Transport hazard class(es) : 2,1

Packing group : Not Applicable

15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety data sheet complies with the requirements of EU Regulation REACH 1907/2006/EC (2020/878/EU).

National laws: This safety data sheet has been prepared in accordance with the Regulation on Classification, Labeling and Packaging of Substances and Mixtures (R.G. 11.12.2013-28848) and Regulation on Safety Data Sheets for Hazardous Substances and Mixtures (R.G.13.12.2014-29204).

15.2. Chemical safety assessment

A chemical safety assessment has not been carried out for this product in accordance with EU REACH Regulation 1907/2006.

16. OTHER INFORMATION

This product safety data sheet was prepared on the basis of current regulations and scientific knowledge. Cosmetics hazardous chemicals / Although not defined as preparation for the assessed value of the finished product the content was shared this form.

Although the above information is believed to be correct, it is not claimed to cover every issue and should only be used as a guide. The information given in this document has been given based on our current knowledge

and records, and this information can be used for the relevant product provided that necessary and appropriate precautions are taken. The information given here cannot be interpreted as giving any guarantee regarding the features of the relevant product.

Our company cannot be held responsible for any damage or loss that may arise from the transportation, processing or contact with the product. It allows to be reproduced in the form of an unlimited number of printed outputs, provided that it is used only for internal purposes.

Hazard statements

- H222: Extremely flammable aerosol.**
- H225: Highly flammable liquid and vapour**
- H229: Pressurized container: may burst if heated.**
- H319: Causes serious eye irritation.**
- H317: May cause an allergic skin reaction.**

Precautionary statements

- P211 : Do not spray on an open flame or other ignition source.
- P240 : Ground/bond container and receiving equipment.
- P241 : Use explosion-proof electrical/ventilating/lighting/.../equipment.
- P242 : Use only non-sparking tools.
- P243 : Take precautionary measures against static discharge.
- P264 : Wash ... thoroughly after handling.
- P272 : Contaminated work clothing should not be allowed out of the workplace.
- P280 : Wear protective gloves/protective clothing/eye protection/face protection.
- P321 : Specific treatment (see ... on this label).
- P363 : Wash contaminated clothing before reuse.
- P302+P352 : IF ON SKIN: Wash with plenty of soap and water.
- P303 + P361 + P353 : IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

GBF Preparatory

Document Delivery Date : 11.03.21
Document Effective Date: 11.03.24
Certificate Number: TÜV/01.273.06