

**Rexel Shredder Oil**

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) &amp; 2020/878

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING****1.1 Product identifier**

|                        |   |
|------------------------|---|
| Product Name           | Rexel Shredder Oil  |
| Chemical Name          | White mineral oil (petroleum)   |
| Product code           | Oil Bottle: 1760049<br>Shredder with sample oil bottle: 2102421EU, 2102425EU, 2102429EU, 2102437EU, 2102565EU, 2102566EU, 2103500EU, 2104500EU, 2102446, 2102449, 2103039EU, 2103750EU, 2102443, 2102421, |
| CAS No.                | 8042-47-5   |
| EC No.                 | 232-455-8   |
| REACH Registration No. | 01-2119487078-27-XXXX   |

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

|                      |  |
|----------------------|--|
| Identified Use(s)    | Consumer use, Professional use – Shredder Lubricant. |
| Uses Advised Against | Not known.   |

**1.3 Details of the supplier of the safety data sheet**

|                                       |  |
|---------------------------------------|--|
| Manufacturer                          |  |
| Company Identification                | Acco UK Ltd.<br>Oxford House, Oxford Road,<br>Aylesbury, Bucks,<br>HP21 8SZ.   |
| Telephone                             | +44 (0) 844 209 8360   |
| Fax                                   | +44 (0) 845 603 1731   |
| E-mail                                | informationeurope@acco.com   |
| Website                               | www.acco.co.uk   |
| Office hours                          | 09:00 - 17:00  |
| Supplier                              |  |
| Company Identification                | Esselte SAS<br>9 avenue Edouard Belin<br>92500 Rueil-Malmaison Cedex<br>France |
| Telephone                             | +33 (01) 49 68 13 00   |
| E-mail                                | contactfrance@acco.com   |
| Website                               | www.esselte.com  |
| Office hours                          | 09:00 - 17:00  |
| <b>1.4 Emergency telephone number</b> |  |
| Company (United Kingdom)              | +44 (0) 844 209 8360 (09:00 - 17:00)   |
| Company (France)                      | +33 (01) 49 68 13 00 (09:00 - 17:00)   |

**Rexel Shredder Oil****SECTION 2: HAZARDS IDENTIFICATION****2.1 Classification of the substance or mixture**

Regulation (EC) No. 1272/2008 (CLP) Not classified as dangerous for supply/use.

**2.2 Label elements**

Product Name According to Regulation (EC) No. 1272/2008 (CLP)  
Rexel Shredder Oil

Hazard Pictogram(s) None.

Signal Word(s) None.

Hazard Statement(s) None.

Precautionary Statement(s) None.

**2.3 Other hazards**

None known.

**2.4 Additional Information**

None.

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS****3.1 Substances**

| HAZARDOUS INGREDIENT(S)       | CAS No.   | EC No. / REACH<br>Registration No. | %W/W | Hazard Statement(s) | Hazard<br>Pictogram(s) |
|-------------------------------|-----------|------------------------------------|------|---------------------|------------------------|
| White mineral oil (petroleum) | 8042-47-5 | 232-455-8<br>01-2119487078-27-XXXX | >99  | Not classified      | None                   |

Contains no non-classified vPvB substances.

Contains no non-classified substances with a Union workplace exposure limit.

**3.2 Mixtures**

Not applicable.

**SECTION 4: FIRST AID MEASURES****4.1 Description of first aid measures**

Inhalation If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

Skin Contact Wash skin with soap and water. If symptoms persist, obtain medical attention.

Eye Contact Flush eyes with water for at least 15 minutes. If symptoms develop, obtain medical attention.

Ingestion Wash out mouth with water. If symptoms persist, obtain medical attention.

**4.2 Most important symptoms and effects, both acute and delayed**

None anticipated.

**4.3 Indication of any immediate medical attention and special treatment needed**

Unlikely to be required but if necessary treat symptomatically.

**Rexel Shredder Oil****SECTION 5: FIREFIGHTING MEASURES****5.1 Extinguishing media**

Suitable Extinguishing media                      Extinguish preferably with dry chemical, foam, waterspray or sand.  
Unsuitable extinguishing media                      Do not use water jet.

**5.2 Special hazards arising from the substance or mixture**

May decompose in a fire giving off toxic fumes.

**5.3 Advice for firefighters**

A self contained breathing apparatus and suitable protective clothing should be worn in fire conditions.

**SECTION 6: ACCIDENTAL RELEASE MEASURES****6.1 Personal precautions, protective equipment and emergency procedures**

General hygiene measures for the handling of chemicals are applicable. Avoid inhalation of high concentrations of vapours.

**6.2 Environmental precautions**

Do not allow to enter drains, sewers or watercourses.

**6.3 Methods and material for containment and cleaning up**

Soak up with inert absorbent. Transfer to a container for disposal.

**6.4 Reference to other sections**

See Also Section 8, 13.

**SECTION 7: HANDLING AND STORAGE****7.1 Precautions for safe handling**

Provide adequate ventilation when using the material and follow the principles of good occupational hygiene to control personal exposures. Avoid inhalation of high concentrations of vapours. Do not eat, drink or smoke at the work place. Wash hands thoroughly after handling.

**7.2 Conditions for safe storage, including any incompatibilities**

Keep container tightly closed.

Storage temperature

Ambient.

Storage life

Stable under normal conditions.

Incompatible materials

None known.

**7.3 Specific end use(s)**

Consumer use, Professional use – Shredder Lubricant.

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION****8.1 Control parameters****8.1.1 Occupational Exposure Limits**

| SUBSTANCE | CAS No. | LTEL (8 hr TWA ppm) | LTEL (8 hr TWA mg/m <sup>3</sup> ) | STEL (ppm) | STEL (mg/m <sup>3</sup> ) | Note          |
|-----------|---------|---------------------|------------------------------------|------------|---------------------------|---------------|
|           |         |                     |                                    |            |                           | None assigned |

Source: UK Workplace Exposure Limits EH40/2005 (Fourth edition, published 2020)

## Rexel Shredder Oil

### 8.2 Exposure controls

8.2.1. Appropriate engineering controls Ensure adequate ventilation.

#### 8.2.2. Personal protection equipment



Eye Protection Not normally required.



Skin protection Wear suitable gloves if prolonged skin contact is likely.  
Breakthrough time of the glove material: refer to the information provided by the gloves' producer.



Respiratory protection Normally no personal respiratory protection is necessary.



Thermal hazards Not applicable.

8.2.3. Environmental Exposure Controls Do not allow to enter drains, sewers or watercourses.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

|  |  |
|--|--|
| Physical state   | Liquid.  |
| Colour   | Colourless.  |
| Odour  | Odourless.   |
| Melting point/freezing point                             | Not known.   |
| Boiling point or initial boiling point and boiling range | Not known.   |
| Flammability   | Non-flammable.   |
| Lower and upper explosion limit                          | Not known.   |
| Flash Point  | 186 °C   |
| Auto-ignition temperature                                | Not known.   |
| Decomposition Temperature                                | Not known.   |
| pH   | Not known.   |
| Kinematic Viscosity                                      | 58.6 mm <sup>2</sup> /s @ 40°C   |
| Solubility   | Solubility (Water) : Immiscible with water.<br>Solubility (Other) : Not known. |
| Partition coefficient n-octanol/water (log value)        | Not known.   |
| Vapour pressure  | Not known.   |
| Density and/or relative density                          | Density (g/ml): 875 kg/m <sup>3</sup>  |
| Relative vapour density                                  | Not known.   |
| Particle characteristics                                 | Not applicable.  |

### 9.2 Other information

None.

**Rexel Shredder Oil**

**SECTION 10: STABILITY AND REACTIVITY**

**10.1 Reactivity**

Stable under normal conditions.

**10.2 Chemical Stability**

Stable under normal conditions.

**10.3 Possibility of hazardous reactions**

No hazardous reactions known if used for its intended purpose.

**10.4 Conditions to avoid**

Heat and direct sunlight.

**10.5 Incompatible materials**

Not known.

**10.6 Hazardous decomposition products**

No hazardous decomposition products known.

**SECTION 11: TOXICOLOGICAL INFORMATION**

**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

|                                |  |
|--------------------------------|--|
| Acute toxicity - Ingestion     | Low oral toxicity.<br>LD50 (oral) mg/kg: >5000 (rat)                 |
| Acute toxicity - Skin Contact  | Low acute toxicity.<br>LD50 (dermal) mg/kg: >2000 (rabbit)           |
| Acute toxicity - Inhalation    | Low acute toxicity.<br>LC50 (inhalation) mg/l/4h: >5 (rat)( Aerosol) |
| Skin corrosion/irritation      | Non-irritant.  |
| Serious eye damage/irritation  | Not classified.  |
| Skin sensitization data        | It is not a skin sensitiser.   |
| Respiratory sensitization data | Not classified.  |
| Germ cell mutagenicity         | There is no evidence of mutagenic potential.                         |
| Carcinogenicity                | No evidence of carcinogenic effects.                                 |
| Reproductive toxicity          | No evidence of reproductive effects.                                 |
| Lactation                      | Not classified.  |
| STOT - single exposure         | None anticipated.  |
| STOT - repeated exposure       | None anticipated.  |
| Aspiration hazard              | Not classified.  |

**11.2 Information on other hazards**

Not known.

**SECTION 12: ECOLOGICAL INFORMATION**

**12.1 Toxicity**

|                                    |   |
|------------------------------------|---|
| Toxicity - Aquatic invertebrates   | Low toxicity to invertebrates.  |
| Toxicity - Fish                    | Low toxicity to fish.<br>LC50 (golden orfe (Leuciscus idus)) mg/l: > 10000 (96 hour)<br>LC50 (rainbow trout) mg/l: >100 (96 hour) |
| Toxicity - Algae                   | Low toxicity to algae.  |
| Toxicity - Sediment Compartment    | Not classified.   |
| Toxicity - Terrestrial Compartment | Not classified.   |

**Rexel Shredder Oil****12.2 Persistence and degradability**

No information available.

**12.3 Bioaccumulative potential**

No information available.

**12.4 Mobility in soil**

Insoluble in water. The product is predicted to have low mobility in soil.

**12.5 Results of PBT and vPvB assessment**

Not classified as PBT or vPvB.

**12.6 Endocrine disrupting properties**

None known.

**12.7 Other adverse effects**

Not known.

**SECTION 13: DISPOSAL CONSIDERATIONS****13.1 Waste treatment methods**

Dispose at suitable refuse site.

**13.2 Additional Information**

Dispose of contents in accordance with local, state or national legislation.

**SECTION 14: TRANSPORT INFORMATION**

Not classified as hazardous for transport.

**14.1 UN number or ID number**

Not applicable

**14.2 UN proper shipping name**

Not applicable

**14.3 Transport hazard class(es)**

Not applicable

**14.4 Packing group**

Not applicable

**14.5 Environmental hazards**

Not classified as a Marine Pollutant.

**14.6 Special precautions for user**

Not known

**14.7 Maritime transport in bulk according to IMO instruments**

Not known

**SECTION 15: REGULATORY INFORMATION****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

European Regulations - Authorisations and/or Restrictions On Use

Candidate List of Substances of Very High Concern for Authorisation Not listed

High Concern for Authorisation

REACH: ANNEX XIV list of substances subject to authorisation Not listed

subject to authorisation

**Rexel Shredder Oil**

REACH: Annex XVII Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles Not listed

Community Rolling Action Plan (CoRAP) Not listed  
Regulation (EU) N° 2019/1021 of the European Parliament and of the Council on persistent organic pollutants Not listed

Regulation (EC) N° 1005/2009 on substances that deplete the ozone layer Not listed  
Regulation (EU) N° 649/2012 of the European Parliament and of the Council concerning the export and import of hazardous chemicals Not listed

**National regulations**

Other Not known.

**15.2 Chemical Safety Assessment**

A REACH chemical safety assessment has not been carried out.

**SECTION 16: OTHER INFORMATION**

The following sections contain revisions or new statements: 1-16

**LEGEND**

## Acronyms

CAS : Chemical Abstracts Service  
CLP : Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures  
EC : European Community  
LTEL : Long term exposure limit  
PBT : Persistent, Bioaccumulative and Toxic  
REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals  
STEL : Short term exposure limit  
STOT : Specific Target Organ Toxicity  
vPvB : very Persistent and very Bioaccumulative

Key literature references and sources for data used to compile the SDS Regulation (EC) No. 1272/2008 (CLP)

## Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Acco UK Ltd. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Acco UK Ltd. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.